


American Star



"Coast to Coast with no RESERVATIONS!"



1990
Towables



Newmar Corporation
A sound company backed by
22 years of experience.

TECHNOLOGY SURROUNDED BY TRADITION

BY





Travel Trailer Galley / Dining Area AS-O-73 Harbor Blue

“Coast to Coast with no RESERVATIONS!”

Hey America, what are you waiting for? Your ship just rolled in at your nearest American Star dealership departing from any port in the U.S.A., Coast to Coast with No Reservations! See all the great sights in a quality RV everyone can afford, an American Star recreational vehicle.

Newmar Corporation designed this line with everyone in mind. Here's an affordable coach that will allow American families everywhere the chance to enjoy the first of many times to come in security, comfort, and freedom. No reservations are necessary when you take along the only accommodations you'll need, and in a style that's comparable to any RV on the road today, inside and out.

As an up and coming star to the many varieties and price ranges of the Newmar family of products, American Star offers so many conveniences as standard, you'll expect to pay a lot more than the modest price on the sticker. We don't consider American Star as an economy line other than the price, and here are just a few sound reasons that will benefit you as a happy owner.

The first and most obvious is that American Star is backed by 22 years of experience in the designing and manufacturing of RVs by Newmar Corporation.

Then, just take one look at the professionally designed interiors and exteriors, and these tastefully color-coordinated fabrics and hardware that give the look of the 90's. Don't forget the solid oak doors and drawers with a myriad of intimate details that set your Star apart from all the rest.

A wide variety of sizes and floorplans in three choices of vehicle styles will leave you with no reservations about which brand to buy this year, just which model to select. After you reserve your order for the American Star of your choice, American Star invites you to see it all . . . Coast to Coast with no Reservations!




Fifth Wheel Bedroom AS-O-71 Sparkling Rose



Standard Mini Blinds



Quality is #1 at Newmar Corporation, and our "Personal Touch" inspection of all products will insure you of that high quality before any RV ever leaves our plant!




Bath AS-O-71 Sparkling Rose


TRAVEL TRAILERS

Specifications & Floor Plans


18 RBD




20 RBD



23 CBD




26 CBD




Option A




Option B




26 FDK



26 RBT




Option C




Option D



29 CBD




29 FDK




Option E




Option F



31 CBD




31 FDK




Option G




Option H




33 CBD




33 FKB




Option I



33 FDK




35 CBD



Option J



35 DB



Option K




Option L



Option M



Option N



Option O



Option P



Option Q




Travel Trailer Specifications

Model	Gross Dry Weight	GVWR	Dry Hitch Weight	Dry Axle Weight	Tires	Wheels	Height w/AC	Length	Width	Options
18 RBD	3,675	5,800	500	3,175	B78 x 13C	13 x 5	10' 4"	19' 7-1/2"	7' 11-1/2"	H
20 RBD	4,100	6,000	550	3,550	B78 x 13C	13 x 5	10' 4"	21' 1-1/2"	7' 11-1/2"	H
23 CBD	4,600	7,000	600	4,000	F78 x 15C	15 x 5	10' 4"	23' 5-1/2"	7' 11-1/2"	A, K, O
26 CBD	5,100	7,200	625	4,475	F78 x 15C	15 x 5	10' 4"	26' 11-1/2"	7' 11-1/2"	A, H, L, O
26 FKD	5,175	7,300	650	4,525	F78 x 15C	15 x 5	10' 4"	26' 11-1/2"	7' 11-1/2"	H
26 RBT	5,175	7,300	650	4,525	F78 x 15C	15 x 5	10' 4"	26' 11-1/2"	7' 11-1/2"	J
29 CBD	5,625	7,800	700	4,925	F78 x 15C	15 x 5	10' 4"	29' 9-1/2"	7' 11-1/2"	A, H, L, O
29 FKD	5,700	7,800	750	4,950	F78 x 15C	15 x 5	10' 4"	29' 9-1/2"	7' 11-1/2"	A, H, K, O
31 CBD	5,875	7,800	750	5,125	F78 x 15C	15 x 5	10' 4"	31' 5-1/2"	7' 11-1/2"	A, D, E, F, G, I, L, O
31 FKD	5,925	7,800	800	5,125	F78 x 15C	15 x 5	10' 4"	31' 5-1/2"	7' 11-1/2"	A, H, K, O
33 CBD	6,125	7,900	850	5,275	F78 x 15C	15 x 5	10' 4"	33' 2-1/2"	7' 11-1/2"	A, D, E, F, G, I, L, O
33 FKB	6,175	7,900	850	5,325	F78 x 15C	15 x 5	10' 4"	34' 2-1/2"	7' 11-1/2"	H
33 FKD	6,175	7,900	850	5,325	F78 x 15C	15 x 5	10' 4"	33' 2-1/2"	7' 11-1/2"	B, H, M, P
35 CBD	6,750	9,200	950	5,800	H78 x 15C	15 x 6	10' 4"	35' 1/2"	7' 11-1/2"	B, D, E, F, G, I, N, Q
35 DB	6,750	9,200	950	5,800	H78 x 15C	15 x 6	10' 4"	35' 1/2"	7' 11-1/2"	C


Approximate Weights. GVWR = Gross Vehicle Weight Rating. Charts are based on Standard Units.

FIFTH WHEEL
Specifications & Floor Plans


20 FSB




Option A




24 WD




25 RK




27 RBD



27 SB




27 RK




29 WD




29 WRKD




30 WD/SS




Option B




Option C



30 WRKD/SS



32 FL/SS



Option D



Option E




Option F1



Option F2



Option G



Option H




Option I




Option J






AS-O-71 Sparkling Rose




AS-O-72 Cinnamon Beige



AS-O-73 Harbor Blue




Fifth Wheel Living Area / Galley



AS-O-71 Sparkling Rose




32 WD




32 WRKD




Option K




36 FL/SS



36 WD




36 WRKD



40 WCB



40 WD



40 WRKD

Option L



Option M



Option N




Option O



Option P




Option Q




Option R




Option S



Option T



Option U



Option V



Fifth Wheel Specifications

Model	Gross Dry Weight	GVWR	Dry Hitch Weight	Dry Axle Weight	Tires	Wheels	Height w/AC	Length	Width	Options
20 FSB	4,200	5,900	750	3,450	B78 x 13C	13 x 5	10' 4"	21' 1-7/8"	7' 11-1/2"	A, V
24 WD	5,275	7,600	975	4,300	F78 x 15C	15 x 5	10' 10"	25' 8-7/8"	7' 11-1/2"	B, L, O, V
25 RK	5,375	7,600	975	4,400	F78 x 15C	15 x 5	10' 10"	25' 8-7/8"	7' 11-1/2"	B, O, V
27 RBD	5,800	8,000	1,175	4,625	F78 x 15C	15 x 5	10' 10"	27' 6-7/8"	7' 11-1/2"	B, O, V
27 SB	5,775	8,000	1,225	4,550	F78 x 15C	15 x 5	10' 10"	27' 6-7/8"	7' 11-1/2"	B, O, V
27 RK	5,800	8,000	1,125	4,675	F78 x 15C	15 x 5	10' 10"	27' 6-7/8"	7' 11-1/2"	B, O, V
29 WD	5,975	8,500	1,225	4,750	F78 x 15C	15 x 5	10' 10"	28' 11-7/8"	7' 11-1/2"	B, L, O, V
29 WRKD	6,075	8,500	1,175	4,900	F78 x 15C	15 x 5	10' 10"	28' 11-7/8"	7' 11-1/2"	B, O, V
30 WD/SS	6,450	8,700	1,625	4,825	H78 x 15D	15 x 6	12' 2"	30' 3-7/8"	7' 11-1/2"	C, L, O, S
30 WRKD/SS	6,525	8,700	1,525	5,000	H78 x 15D	15 x 6	12' 2"	30' 3-7/8"	7' 11-1/2"	C, H, O, S
32 FL/SS	7,950	10,000	1,925	6,025	H78 x 15D	15 x 6	12' 8"	33' 7/8"	7' 11-1/2"	E, F1, F2, M
32 WD	7,300	8,500	1,575	5,725	H78 x 15C	15 x 5	12' 2"	33' 7/8"	7' 11-1/2"	C, H, L, N, O, P(S) *
32 WRKD	7,300	8,500	1,525	5,775	H78 x 15C	15 x 5	12' 2"	33' 7/8"	7' 11-1/2"	C, O(L, J, R, S) *
36 FL/SS	8,900	11,500	2,100	6,800	H78 x 15D	15 x 6	12' 8"	37' 6-7/8"	7' 11-1/2"	D, G, M, Q, T
36 WD	8,500	10,000	1,750	6,750	H78 x 15C	15 x 6	12' 2"	37' 6-7/8"	7' 11-1/2"	C, I, J, L, N, O, P, Q(S) *
36 WRKD	8,500	10,000	1,700	6,800	H78 x 15C	15 x 6	12' 2"	37' 6-7/8"	7' 11-1/2"	C, O, Q(K, R, S) *
40 WCB	8,750	12,000	2,150	6,600	F78 x 15C	15 x 5	12' 2"	39' 10-7/8"	7' 11-1/2"	C, D, H, O, Q, T(G, S) *
40 WD	8,750	12,000	2,150	6,600	F78 x 15C	15 x 5	12' 2"	39' 10-7/8"	7' 11-1/2"	C, I, J, L, N, O, P, Q(S) *
40 WRKD	8,750	12,000	2,100	6,650	F78 x 15C	15 x 5	12' 2"	39' 10-7/8"	7' 11-1/2"	C, O(L, J, U) *(S)

Approximate Weights. GVWR = Gross Vehicle Weight Rating. Charts are based on Standard Units.

*Options appearing in parentheses are available only with SS option.

AMERICAN STAR Towable Standards

FW TT AIR CONDITIONING, HEATING & LP GAS

S	S	Air Cond. Prep (w/Wiring)
S	S	Furnace 17M Pilot Ign. Non Duct (18' & 20' only)
S	S	Furnace 20M Electronic Ignition (21'-27') (Excalibur)
S	S	Furnace 25M Electronic Ignition (29'-35') (Excalibur)
S	NA	Furnace 31M Electronic Ignition (Excalibur) (36' & up)
S	S	LP Gas Bottles 2-20# Steel w/Auto. Reg.

APPLIANCES & ACCESSORIES

S	S	Barth Acc. (3-towel bars, tissue hldr., 2-towel rings, 1-robe hook)
S	S	Faucet for Lavatory Dbl. Handle Mixing
S	S	Faucet for Shower Dbl. Handle Mixing w/Spigot
S	S	Faucet for Sink Dbl. Handle
S	S	Microwave Prep 22 1/4" W x 15" H
S	S	Range 3-Burner Brushed Chrome (18' & 20' only)
S	S	Range 4-Burner Porcelain w/Pilot Top & Oven (21' & up)
S	S	Range Hood w/Light & Fan
S	S	Refri. Norcold Single Door 442 2-Way (18' & 20' only)
S	S	Refri. Norcold Single Door 452 2-Way (21' & up)
S	S	Sink Cover/Cutting Board
S	S	Sink Deep Dbl. Porcelain
S	S	Stool Aqua Magic IV
S	S	Tub or Shower w/Curtain
S	S	Water Heater Gas 6 Gal.

CABINETS & FURNITURE

S	S	Bed Double (See Floor Plan)
S	NA	Cabinet China w/Decorative Glass Door(s) (See Floor Plan)
S	S	Cabiner Medicine w/Mirror Doors
S	S	Cabiner Night Stand(s) (See Floor Plan)
S	S	Cabinetry Oak w/Hard Wood Frame Doors
S	S	Dinette w/Inner Springs & Fabric Covered Ends (See Floor Plan)
S	S	Door(s) under Dinette for Easy Access
S	S	Drawers Wood Double Roller Guides
NA	S	Gaucho Built-In (18' & 20' only)
S	S	Headboards Decorative (where applic.)
S	S	Sofa Bed Built-In (where applic.)
S	S	Sofa Bed Free Standing (where applic.)
S	S	Spice Rack (Hand Crafted)

ELECTRICAL & LIGHTING EQUIPMENT

S	S	Battery 115 Amp Sears Die Hard Deep Cycle
S	S	Battery Rack w/Case & Wiring
S	S	Convertor 30 Amp (18' & 20' only)
S	S	Convertor 40 Amp w/Charger
S	S	Electrical Service 30 Amp
S	S	Light Exterior Patio w/Inside Switch
NA	S	Light for Hookup Convenience
S	S	Recept. 110V GFI (interior & exterior)
S	S	Stereo Prep (speaker & 12V wire only)
S	S	TV Antenna Prep (Wire & 1 Jack only)

EXTERIOR ACCESSORIES

S	S	Bumper w/Sewer Hose Storage
S	S	Roof One Piece Aluminum
S	NA	Step Double Manual

FW TT AIR CONDITIONING, HEATING & LP GAS - Cont'd.

NA	S	Step Single Manual
S	S	Storage Exterior Compartment(s)

INTERIOR FEATURES

S	S	Cabiner Doors w/Decorative Etched Glass
S	S	Floor Covering, Carpet w/Pad Bedroom & Living Room
S	S	Floor Covering, Vinyl in Kitchen & Bath
S	S	Floor Covering, Vinyl Thru-out (18' & 20' only)
S	S	Mirror(s) w/Decorative Wood Frame
S	NA	Stand Up Bedroom Area (30' & up)
S	S	Window Treatmt. Mini Blinds w/Drapes/Val. & Tie Backs Living/Din. Area
S	S	Window Treatmt. Roller Shade to Match Wall (bath only)
S	S	Window Treatmt. Roller Shade w/Drapes/Val & Tie Backs (bedrm)

PLUMBING SYSTEMS

S	S	Hook-Up for City Water
NA	S	Tank Gray Water 18 Gal. (18' & 20' only) (Approx.)
S	S	Tank Gray Water 48 Gal. (Approx.)
NA	S	Tank Sewage Holding 18 Gal. (18' & 20' only) (Approx.)
S	S	Tank Sewage Holding 48 Gal. (Approx.)
S	S	Water Capacity 42 Gal. (Approx.)
S	S	Water System Demand w/12V Pump & 5/8" Polybutylene Lines

RUNNING GEAR & CONSTRUCTION

NA	S	Axle 4" Drop
S	NA	Axle Straight
S	S	Floor Conventional Frame w/5/8" Plywood
S	S	Frame Size 4" Tube (18' & 20' only)
S	S	Frame Size 5" Tube (23'-29')
S	S	Frame Size 6" Tube (30' & up)
S	S	Frame Size Double Tube (40' & W/PSO)
S	S	Insulation R5 Fiberglass in Sidewalls, Roof & Floor
NA	S	Jack for Hitch (2,000 lb.)
S	S	Wheels 13" White Spoke (18' & 20' only)
S	S	Wheels 15" White Spoke (23' & up)

SAFETY FEATURES

S	S	Break Away Switch
S	S	Fire Extinguisher 5 BC
NA	S	Safety Chains
S	S	Smoke Detector

WINDOWS, DOORS, AWNINGS & VENTS

NA	S	Awning Front
S	S	Door Entrance w/Screen w/Flush Latch
S	S	Door Secondary (where applic.)
S	S	Door Woven Folding (where applic.)
S	S	Grab Handle
S	S	Vent in Ceiling Non-Power (2 - 4)
S	S	Windows Square Torque Reg. Glass

AMERICAN STAR Towable Options

FW TT AIR CONDITIONING, HEATING & LP GAS

O	O	Air Cond. Coleman 11.0 BTU (ea.)
O	O	Air Cond. Coleman 13.5 BTU (ea.)
O	O	Air Cond. Prep for 2nd Air, Not Ducted
NA	O	Cover for 20' & 30' LP Gas Bottles - ABS
O	O	Furnace 35M Electronic Ignition ILO Std. (Excalibur)
O	O	Heat Strip for Air Cond.
O	O	LP Gas Bottles 2-30# Steel ILO 20# Steel
O	O	LP Gas Bottles 2-40# Steel ILO 20# Steel (where applic.)

APPLIANCES & ACCESSORIES

O	O	Microwave Oven Conv. 30" (Sharp) w/4 Burner Hot Plte ILO Std Range (21' & up)
O	O	Microwave Oven 22" (Sharp Carousel)
O	O	Range 4-Burner Porcelain w/Pilot Top & Oven (18' & 20' only)
O	O	Range Larger 4-Burner Porcelain, Blk. Glass Door w/Pilot Top & Oven (21' & up)
O	O	Range Cover Bi-Fold Deluxe
O	O	Refri. Norcold Double Door 682 ILO 452 (21' & up)
O	O	Refri. Norcold Single Door 452 ILO 442 (18' & 20' only)
O	O	Refri. Norcold Double Door 662 ILO 452 (21' & up)
O	O	Stool Aqua Magic Starlite
O	NA	Tub 40" ILO 54" w/Remainder Wardrobe ILO Std. (where applic.)
O	O	Tub/Shower Fiberglass ILO Std. (except 18' & 20')
O	O	Tub Surround
O	O	Tub/Shower Enclosure Door
O	NA	Washer & Dryer Sears 2-piece (See Floor Plans)
O	NA	Washer & Dryer Prep Plumbing, Recept. & Shelf (certain models)
O	O	Water Heater Bypass Kit
O	O	Water Heater Gas 6 Gal. w/Elect. Ign.
O	O	Water Heater Gas/Elec. 10 Gal. ILO 6 Gal. Gas (29' & up) (where applic.)
O	O	Water Heater Reignitor 12V

CABINETS & FURNITURE

O	O	Bed Queen (60" x 75") (where applic.)
O	NA	Bed Dbl. Island ILO Std. (up to 29')
O	NA	Bed Dbl. Island ILO Std. (40WCBD & 36FL)
O	NA	Bed Twin ILO Std. (40WCBD & 36FL)
O	O	Bed Twin (32" x 75") ILO Double
O	O	Bunk Cabinet w/3" Foam Mat., 8x14 Window ILO 91" Sofa OH
NA	O	Bunk Cabinet w/3" Foam Mat., 8x14 Window Above Twin Bed (ea.) (where applic.)
NA	O	Bunk Matt. w/Window (18' & 20' only)
NA	O	Bunk House ILO Std. (26RBT)
O	NA	Bunk w/Mini Dinette ILO Std. Rear Bedroom (40WCBD, 36FL)
O	NA	Cabinet Mini Hutch w/Lights (where applic. w/slide out)
O	O	Chair Free Stding. Pedestal (where applic.)
O	O	Chair Swivel Rocker (free standing)
O	NA	Chairs Free Stding. Incliner w/End Table & Light in 91" Sl. Out ILO Sofa
O	O	Counter Top Extension (where applic.)
O	NA	Deluxe Honeymoon Suite Bedroom w/Robe & Chest (Must Add SS Option) (30' & up)
O	O	Dinette Free Standing w/2 Chairs ILO Built-in
O	O	Doors Oak Cabinet over Decorative Shelves
O	O	Drawer Below Dinette Seat (ea.)
O	O	Entertainment Center Base Only (where applic.)
O	O	Lifts for Convenient Storage Under Fixed Beds (ea.)
O	O	Sofa 75" w/End Tables ILO 84" Sofa
NA	O	Sofa ILO Gaucho (18' & 20' only)
O	O	Table Dropleaf high-low for (coffee or din.)
O	NA	Wardrobe/Delete & Add Front Entrance Door 26" (where applic.)

ELECTRICAL & LIGHTING EQUIPMENT

O	O	Electrical Service 50 Amp ILO 30
O	NA	Fan Ceiling (where applic.)
O	NA	Gen. 6.5kw Onan w/1 Remote Switch & Gas Tank (30' & up)
O	NA	Gen. 6.5kw Honda 110V w/1 Remote Switch, Gas Tank (30' & up)
O	NA	Gen. 7.0kw Kohler w/1 Remote Switch, Gas Tank (30' & up)
O	NA	Gen. Prep (110 V/wire, remote start wire & door)
O	O	Lighting Fluorescent Dbl. Surface Mount (ea.) (Choose Location)
O	O	Lights Exterior Security (ea.) (Choose Location)
O	O	Monitor Panel
O	O	Radio/Ant., AM/FM Stereo Cass., Clock & 4 Spkr. (CB Models 6 Spkr.)
O	O	Stereo Antenna & 4 Speakers
O	O	Telephone Jack Extra Interior (Choose Location)
O	O	Telephone Hook up w/1 Jack (Choose Location)
O	O	TV Antenna w/Power Booster & 1 Jack
O	O	TV Jack Exterior on Door Side
O	O	TV Jack Interior Extra (by recept) (Choose Location)
O	O	TV Shelf, Jack & Recept. (Choose Location)
O	O	TV Cable Hook Up
O	O	VCR Prep (where applic.)

EXTERIOR ACCESSORIES

O	O	Bumper Cover Aluminum
O	O	Ladder & Roof Rack
O	O	Roof Rubber

FW TT EXTERIOR ACCESSORIES — Continued

O	O	Slide Out 65" w/Lights (Choose Cbnt. & Furn. Selection) (where applic.)
O	O	Slide Out 76" w/Lights (Choose Cbnt. & Furn. Selection) (where applic.)
O	NA	Slide Out 91" w/Lights (Choose Cbnt. & Furn. Selection) (where applic.)
O	NA	Slide Out 101" w/Lights (Choose Cbnt. & Furn. Selection) (where applic.)
NA	O	Step Double Manual ILO Single
O	NA	Super Storage w/Enclosed Underbelly 32'
O	NA	Super Storage w/Enclosed Underbelly 36' - 40'
O	NA	SS Carpeting in Storage Compartments
S	NA	SS 5200# Axles H78x15 D Tires (Except 40')
S	NA	SS 75" Entrance Door
S	NA	SS Enclosed Underbelly
S	NA	SS Triple Step

INTERIOR FEATURES

O	O	Bedsprad Quilted w/Matching Shams & Accent Pillow Dbl. (ea.)
O	O	Bedsprad Quilted w/Matching Shams & Accent Pillow Queen (ea.)
O	O	Bedsprad Quilted w/Matching Shams & Accent Pillow Twin (1 pr.)
O	O	Decor Package KSO68 & KSO69 & KSO70
O	O	Floor Covering, Carpet w/Pad ILO Vinyl (Per Fr.)
O	O	XL Package Interior & Exterior
S	S	XL Bath Accessories Brass
S	S	XL Bath Lav. & Tub Faucet Deluxe Brass
S	S	XL Kitchen Faucet Single Handle
S	S	XL Bedsprad(s) Quilted w/Matching Shams (1 Dbl. or 1 Queen or 1 pr. Twins)
S	S	XL Bi-Fold Range Cover
S	S	XL Black Glass Door & Larger Oven
S	S	XL Black Glass Door on Refer
S	S	XL Stainless Steel Lug Nuts
S	S	XL Deluxe Brass Complexion Light in Bathroom w/Wall Switch
S	S	XL Deluxe Din. Light w/Wall Switch
S	S	XL Deluxe Raised Panel Doors ILO Std.
S	S	XL LP Gas Bottles Steel 30# ILO 20#
S	S	XL Sofa Throw Pillows
S	S	XL Lifts for Convenient Storage Under Fixed Beds
S	S	XL Radio/Ant., AM/FM Stereo, Cass., Clock & 4 Spkr. (CBD Models 6 Spkr.)

RUNNING GEAR & CONSTRUCTION

O	NA	12,000 lb. Hitch Plate & Bracket Center Mount (up to 12,000 lb. GVWR)
O	NA	15,000 lb. Hitch Plate & Bracket Center Mount
O	O	Insulation 1/4" Fome-Cor Complete Exterior (w/Metal only)
O	O	Insulation 1/4" Fome-Cor Floor, Roof & Ends (w/fiberglass sides)
O	O	Insulation Polar Pak (R7 Sidewalls & Floor, R10 Roof)
O	NA	Jacks Stabilizer (set of 2) (29' & up)
O	O	Jack(s) for Hitch 12V Power
O	O	Shock Absorbers (4)
O	NA	Shock Absorbers (6)
O	O	Skid Bars for Rear Bottom Protection
O	O	Spare Tire Cover Deluxe (21' & up)
O	O	Spare Tire & Carrier (15')
O	O	Spare Tire & Carrier (16')
O	O	Tires 7.75x15ST W/W ILO Std. (18' & 20' only)
O	NA	Tires Radial 16" ILO Std. set of 4, 36' & SS (Except 40')
O	NA	Tires Radial 16" w/5,200 lb. Axle ILO Std. set of 6 (40' only)
O	O	Tires Radial 16" w/5,200 lb. Axle ILO Std. set of 4 (30'-36')
O	O	Underbelly Enclosed w/Fiberglass Insulation
O	O	Underbelly Metal ILO Polymax

SAFETY FEATURES

O	O	Customer Pick Up
O	O	LP Leak Detector
O	O	State Seals

WINDOWS, DOORS, AWNINGS & VENTS

O	O	Awning Rear (where applic.)
O	O	Awning Side A&E 8500 (up to 21')
O	O	Awning Tension Rafter for Side Awning
O	O	Door Bell
O	O	Door 30" Entrance ILO 26" (where applic.)
O	O	Lock Dead Bolt (ea.)
O	O	Skylight in Bathroom w/Soft Shade (21' & up)
O	O	Vent in Ceiling 12V ILO Std. w/Wall Switch (Choose Location)
O	O	Vent in Ceiling w/Wall Switch 12V (Choose Location)
O	O	Vent/Ceiling 12V Fantastic 3-Spd. w/Wall Thermostat w/power opener (Choose Location)
O	O	Window Picture 48"x48" ILO 29x48 at Dinette
O	O	Windows Radius Torque ILO Std.
O	O	Windows Radius Torque Safety Glass ILO Reg.
O	O	Windows Square Torque Safety Glass ILO Reg.


LEGEND

FLOOR PLANS

CBD — Center Bath/Dinette
 FKD — Front Kitchen/Dinette
 RBD — Rear Bath/Dinette
 RBT — Rear Bath/Twin Bed
 SB — Side Bath
 SS — Super Storage Model
 WCBD — Walk-Thru Center Bath/Dinette
 WD — Walk-Thru Bath/Dinette
 WRKD — Walk-Thru Rear Kitchen/Dinette
 DB — Double Bedroom
 FSB — Front Side Bath
 FKB — Front Kitchen Bunk
 FL — Front Lounge
 RK — Rear Kitchen

SPECIFICATIONS

Dbl. — Double
 FW — Fifth Wheel
 ILO — In Lieu Of
 NA — Not Available
 O — Option
 S — Standard
 TT — Travel Trailer
 V — Volt
 W/W — White Wall
 *Options appearing in parantheses
 are available only with SS option.



Optional Chair



Travel Trailer Living Area
 AS-O-73 Harbor Blue



Standard Etched Glass in Overhead



Super Storage Model



Newmar Corporation features appliances and components by these quality names to insure you of years of safe and trouble-free operation and enjoyment.

Newmar Kountry Klub

"Don't forget to check out the Klub . . . the Newmar Kountry Klub that is. All you need to be eligible is to be the proud owner of any one of the fine Newmar products.

Your nearest American Star dealer:



Newmar Corporation, 355 North Delaware
Nappanee, IN 46550-0030, (219) 773-7791

Scheduled plant tours Monday - Friday

Prices and specs are subject to change without written notice
at Newmar's discretion with no obligation.