



## 2022 SPEC SHEET

# Newmar Ventana

Floor plans: 3407, 3412, 3426

## 5-STAR FEATURES



### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVETECH

Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel

Prioritizes driver safety

### V-RIDE

Increased towing capacity

Superior roll stability & handling

Greater durability & longevity



24/7 factory-direct phone support

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb/ft
<b>Brake</b>	VGT (Variable Geometry Turbocharger) Brake (single stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	12,400 lbs
<b>Rear GAWR</b>	23,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	35,400 lbs
<b>Total GCWR</b>	45,400 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	10 Gallon

### SUSPENSION

<b>Front</b>	NEWAY
<b>Wheel Cut</b>	55 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	Detroit DA-F-12.4-3
<b>Rear</b>	Detroit DA-RS-23.0-4

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Meritor Air Drum Brakes with ABS

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	206"

### COOLING

<b>Radiator</b>	1,335 sq/inch, Rear mounted
-----------------	-----------------------------

### HITCH

<b>Rating</b>	5,000 lbs
---------------	-----------

### TIRES

<b>Make</b>	Michelin XZA2
<b>Front Size</b>	275/70R 22.5 18-ply
<b>Rear Size</b>	275/70R 22.5 18-ply
<b>Wheels</b>	8.25" Aluminum

### ELECTRICAL

<b>Alternator</b>	240 Amp Leece-Neville
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	3 years, 50,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi





## 2022 SPEC SHEET

# Newmar Ventura

Floor plans: 3709, 3717

## 5-STAR FEATURES



### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVETECH

Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel  
Prioritizes driver safety

### V-RIDE

Increased towing capacity  
Superior roll stability & handling  
Greater durability & longevity



24/7 factory-direct phone support

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb/ft
<b>Brake</b>	VGT (Variable Geometry Turbocharger) Brake (single stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	14,000 lbs
<b>Rear GAWR</b>	24,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	38,000 lbs
<b>Total GCWR</b>	48,000 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	10 Gallon

### SUSPENSION

<b>Front</b>	NEWAY
<b>Wheel Cut</b>	54 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	Detroit DA-F-14.7-3
<b>Rear</b>	Detroit DA-RS-23.0-4

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Bendix Air Drum Brakes with ABS

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	242"

### COOLING

<b>Radiator</b>	1,335 sq/inch, Rear mounted
-----------------	-----------------------------

### HITCH

<b>Rating</b>	5,000 lbs
---------------	-----------

### TIRES

<b>Make</b>	Michelin XRV
<b>Front Size</b>	305/70R 22.5 20-ply
<b>Rear Size</b>	305/70R 22.5 20-ply
<b>Wheels</b>	8.25" Aluminum

### ELECTRICAL

<b>Alternator</b>	240 Amp Leece-Neville
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	3 years, 50,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi





## 2022 SPEC SHEET

# Newmar Ventura Tag

Floor plans: 4002, 4037

## 5-STAR FEATURES



24/7 factory-direct phone support

### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVETECH

Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel  
Prioritizes driver safety

### ULTRA STEER

Reduced curb-to-curb turning radius

Eliminates costly tire scrub

Fully integrated & precision tuned to coach model & floorplan

### V RIDE

Increased towing capacity

Superior roll stability & handling

Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins L9
<b>Horsepower</b>	400 HP @ 2,100 rpm
<b>Torque</b>	1,250 lb/ft
<b>Brake</b>	Engine Compression Brake (three stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	14,200 lbs
<b>Rear GAWR</b>	20,000 lbs
<b>Tag GAWR</b>	10,000 lbs
<b>Total GVWR</b>	44,200 lbs
<b>Total GCWR</b>	59,200 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	13 Gallon

### SUSPENSION

<b>Front</b>	NEWAY
<b>Wheel Cut</b>	54 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	Detroit DA-F-14.7-3
<b>Rear</b>	Detroit DA-RS-21.0-4
<b>Tag</b>	UltraSteer

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Meritor Air Drum Brakes with ABS

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	245"

### COOLING

<b>Radiator</b>	1,335 sq/inch, Rear mounted
-----------------	-----------------------------

### HITCH

<b>Rating</b>	15,000 lbs
---------------	------------

### TIRES

<b>Make</b>	Michelin XRV
<b>Front Size</b>	305/70R 22.5 20-ply
<b>Rear Size</b>	305/70R 22.5 20-ply
<b>Tag Size</b>	305/70R 22.5 20-ply
<b>Wheels</b>	8.25" Aluminum

### ELECTRICAL

<b>Alternator</b>	240 Amp Leece-Neville
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	3 years, 50,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi





## 2022 SPEC SHEET

# Newmar Ventura Tag

Floor plans: 4326, 4369, 4334

## 5-STAR FEATURES



24/7 factory-direct phone support

### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVETECH

Wheel and column controls pair with OptiView to put every command in easy reach

All-new ergonomic steering wheel  
Prioritizes driver safety

### ULTRA STEER

Reduced curb-to-curb turning radius

Eliminates costly tire scrub

Fully integrated & precision tuned to coach model & floorplan

### V-RIDE

Increased towing capacity

Superior roll stability & handling

Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins L9
<b>Horsepower</b>	400 HP @ 2,100 rpm
<b>Torque</b>	1,250 lb/ft
<b>Brake</b>	Engine Compression Brake (three stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	15,600 lbs
<b>Rear GAWR</b>	20,000 lbs
<b>Tag GAWR</b>	10,000 lbs
<b>Total GVWR</b>	45,600 lbs
<b>Total GCWR</b>	60,600 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	13 Gallon

### SUSPENSION

<b>Front</b>	NEWAY
<b>Wheel Cut</b>	50 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	Detroit DA-F-15.6
<b>Rear</b>	Detroit DA-RS-21.0-4
<b>Tag</b>	UltraSteer

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Meritor Air Drum Brakes with ABS

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	281"

### COOLING

<b>Radiator</b>	1,335 sq/inch, Rear mounted
-----------------	-----------------------------

### HITCH

<b>Rating</b>	15,000 lbs
---------------	------------

### TIRES

<b>Make</b>	Michelin X Line Energy Z
<b>Front Size</b>	315/80R 22.5 20-ply
<b>Rear Size</b>	315/80R 22.5 20-ply
<b>Tag Size</b>	315/80R 22.5 20-ply
<b>Wheels</b>	9.00" Aluminum

### ELECTRICAL

<b>Alternator</b>	240 Amp Leece-Neville
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	3 years, 50,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi