



2024 SPEC SHEET

# Newmar Kountry Star

Floor plans: 3418, 3426

## 5-STAR FEATURES



24/7 factory-direct phone support

### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVE TECH

Wheel and column controls pair with OptiView to put every command in easy reach  
All-new ergonomic steering wheel  
Prioritizes driver safety

### V RIDE

Increased towing capacity  
Superior roll stability & handling  
Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb-ft
<b>Brake</b>	VGT (Variable Geometry Turbocharger) Brake (single stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	12,600 lbs
<b>Rear GAWR</b>	21,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	33,600 lbs
<b>Total GCWR</b>	43,600 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	10 Gallon

### SUSPENSION

<b>Front</b>	VFS
<b>Wheel Cut</b>	55 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	VFS 12.6
<b>Rear</b>	Detroit DA-RS-21.0-2

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Meritor Air Drum Brakes with ABS

### COOLING

<b>Radiator</b>	1,335 sq. in., Rear mounted
-----------------	-----------------------------

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	206"

### HITCH

<b>Rating</b>	5,000 lbs
---------------	-----------

### TIRES

<b>Make</b>	Michelin X Multi Z
<b>Front Size</b>	275/70R 22.5 18-ply
<b>Rear Size</b>	275/70R 22.5 18-ply
<b>Wheels</b>	8.25" Aluminum

### ELECTRICAL

<b>Alternator</b>	160 Amp
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display and TPMS
<b>Safety</b>	Mobileye Sensor Detection

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	5 years, 100,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi

2023-03-21. Specifications are subject to change without notice. Freightliner Custom Chassis Corporation is registered to ISO 9001:2000 and ISO 14001:2004. © 2023 Daimler Truck North America LLC. All rights reserved. Freightliner Custom Chassis Corporation is a subsidiary of Daimler Truck North America LLC, a Daimler company. The towing capability of the completed vehicle is substantially determined by the towing equipment such as towing rear crossmember, coupling device, suitable trailer air and/or electrical connections components and the installation performed by the subsequent manufacturer. Freightliner Custom Chassis Corporation bears no responsibility of towing equipment capabilities installed by subsequent manufacturer.



2024 SPEC SHEET

# Newmar Kountry Star

Floor plans: 3709, 3717

## 5-STAR FEATURES



24/7 factory-direct phone support

### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVE TECH

Wheel and column controls pair with OptiView to put every command in easy reach  
All-new ergonomic steering wheel  
Prioritizes driver safety

### V RIDE

Increased towing capacity  
Superior roll stability & handling  
Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb-ft
<b>Brake</b>	VGT (Variable Geometry Turbocharger) Brake (single stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	13,700 lbs
<b>Rear GAWR</b>	24,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	37,700 lbs
<b>Total GCWR</b>	47,700 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	10 Gallon

### SUSPENSION

<b>Front</b>	VFS
<b>Wheel Cut</b>	51 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	VFS 13.7
<b>Rear</b>	Detroit DA-RS-23.0-4

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Bendix Air Drum Brakes with ABS

### COOLING

<b>Radiator</b>	1,335 sq. in., Rear mounted
-----------------	-----------------------------

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	242"

### HITCH

<b>Rating</b>	5,000 lbs
---------------	-----------

### TIRES

<b>Make</b>	Michelin XRV
<b>Front Size</b>	305/70R 22.5 18-ply
<b>Rear Size</b>	305/70R 22.5 18-ply
<b>Wheels</b>	9" Aluminum

### ELECTRICAL

<b>Alternator</b>	160 Amp
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display and TPMS
<b>Safety</b>	Mobiley Sensor Detection

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	5 years, 100,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi



2024 SPEC SHEET

# Newmar Kountry Star

Floor plans: 4011, 4037, 4068, 4070

## 5-STAR FEATURES



24/7 factory-direct phone support

### BRAKE SYNC

Factory-installed, factory-warranted integrated air supply for your tow vehicle brake system

### DRIVE TECH

Wheel and column controls pair with OptiView to put every command in easy reach  
All-new ergonomic steering wheel  
Prioritizes driver safety

### V RIDE

Increased towing capacity  
Superior roll stability & handling  
Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb-ft
<b>Brake</b>	VGT (Variable Geometry Turbocharger) Brake (single stage)

### WEIGHT RATINGS

<b>Front GAWR</b>	15,000 lbs
<b>Rear GAWR</b>	24,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	39,000 lbs
<b>Total GCWR</b>	49,000 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	10 Gallon

### SUSPENSION

<b>Front</b>	VFS
<b>Wheel Cut</b>	51 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	VFS 15.0
<b>Rear</b>	Detroit DA-RS-23.0-4

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Bendix Air Drum Brakes with ABS

### COOLING

<b>Radiator</b>	1,335 sq. in., Rear mounted
-----------------	-----------------------------

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	276"

### HITCH

<b>Rating</b>	5,000 lbs
---------------	-----------

### TIRES

<b>Make</b>	Michelin XRV
<b>Front Size</b>	295/80R 22.5 20-ply
<b>Rear Size</b>	295/80R 22.5 20-ply
<b>Wheels</b>	9" Aluminum

### ELECTRICAL

<b>Alternator</b>	160 Amp
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	Column Drive with Tilt/Telescopic
<b>Steering Wheel</b>	DriveTech steering wheel with dash controls
<b>Instruments</b>	OptiView LCD display and TPMS
<b>Safety</b>	Mobileye Sensor Detection

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	5 years, 100,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi